www.sughrue.com



February 20, 2004

MAIL STOP PATENT APPLICATION

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re:

Application of Michael TIEGELKAMP

METHOD AND ARRANGEMENT FOR CONFIGURING MODULES IN A

DATA PROCESSING SYSTEM

Assignee: SIEMENS AKTIENGESELLSCHAFT

Our Ref. Q79781

Dear Sir:

Attached hereto is the application identified above comprising ten (10) sheets of the specification, including the claims and abstract, and one (1) sheet of drawings. Copies of the executed Declaration and Power of Attorney and of the Assignment will be submitted at a later date.

The present application is being filed as a Continuation Application, under 35 U.S.C. § 111 (a) and 37 C.F.R. § 1.53, of International Application PCT/DE02/03010, filed August 16, 2002, in accordance with the procedures outlined in Sections 1895 et seq. of the Manual of Patent Examining Procedure. To facilitate the Examiner's review, Applicants are submitting herewith a copy of the Cover Page of the published International Application and a copy of Applicants' PCT Request.

The Government filing fee is calculated as follows:

Total claims	10 - 20	=	X	\$18.00	=	\$.00
Independent claims	3 - 3	=	x	\$86.00	=	\$.00
Base Fee						\$770.00

TOTAL FEE ______\$770.00

A check for the statutory filing fee of \$770.00 is attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.





Attorney Docket No.: Q79781

Page 2

Priority is claimed from:

Country

Application No

Filing Date

Germany

101 40 763.7

August 20, 2001

The priority document will be filed at a later date.

Respectfully submitted, SUGHRUE MION, PLLC Attorneys for Applicant

Bv

George F. Lehnigk

Registration No. 36,359

SUGHRUE MION, PLLC Telephone: (202) 293-7060 Facsimile: (202) 293-7860

 $\begin{array}{c} \text{washington office} \\ 23373 \\ \text{customer number} \end{array}$

GFL/plr